

Administration Cisco Unified Contact Center Enterprise with Cisco Unified CVP 12.0.1 Bootcamp



Created by

Faisal H. Khan

Cisco Collaboration Instructor

VoiceBootcamp Inc.

Revision 4.0

Table of Contents



Preface

This document is a detail design guide for Deploying Cisco Contact Center Enterprise 12.0.1 with CVP 12.01 VoiceBootcamp. This document is to be used during 10 days of classroom training at VoiceBootcamp Inc.

Audience

This document is intent to be used by VoiceBootcamp Inc. clients and students and internal employees - and Friends of Faisal Khan J.

Scope and Requirements

This document, which is to be used as a lab guide, will provide candidate a real world experience in deploying Cisco Unified Contact Center Enterprise (UCCE). This lab guide was designed based on a real world scenario. Candidates will focus on understand the design requirements and deploy the solution based on what is outlined in this document.

The document is divided into sections for:

- System Topology Including Network layout, Sites, Server locations, Server types, Server Names
 & IP addresses etc.
- Setup Information tables used for server application 'setup' tasks
- Configuration Information tables and data used to add configuration information for each component
- Call Routing Information on how calls will be routed from component to component

NOTE: This document includes configuration details relevant to the UCCE system and tables for inclusion of configuration information for the future business unit call flow designs. However, this document is NOT intended to cover business unit 'call flows'. The configuration information required for each business unit e.g. agents, skill groups, agent teams, etc. should be added to the tables in this document's appendices.


1) Network & System Server Topology

All core servers (UC, UCCE and CVP) will be located in two data centers called HQ & SiteB. Candidates will work in a team to build these two data centers. The UC will utilize two CUCM



clusters; both distributed across the two data centers. The UCCE and CVP components will therefore use a Multi-Site with Distributed Call Processing model, splitting the diverse server components across the two data centers.

A 'Distributed Voice Gateway with Distributed Call Treatment and Queuing Using Unified CVP' model will be used. Agent sites can be located anywhere within the IP network. Traffic to the servers will be carried over the existing LAN/WAN. Cisco 2801 ISR Gateways will be located in the agent sites to ingress queue and deliver calls to the agents



2) Server Name and Network Addressing

Servers	Host Name		NIC Information
Active Directory	ad	IP Add	142.1Y.64.100/24
CUCM – US Cluster	cucmpub	IP	142.1Y.64.21/24
CUCM – India Cluster	Ucmpub	IP	142.1Y.65.21/24



3) <u>UCCE/CVP Server Table Lists</u>

Domain Name: podY.com ← Y is your POD Number)

SiteA	UCCE Side A	Public Interface	142.1Y.64.51	
	Rogger A	Private Interface	192.1Y.64.21	
SiteB	UCCE – Site B	Public Interface	142.1Y.65.51	
	Rogger B	Private Interface	192.1Y.64.31	
SiteA	PG – A	Public Interface	142.1Y.64.55	
		Private Interface	192.1Y.64.22	
SiteB	PG –B	Public IP Address	142.1Y.65.55	
		Private Interface	192.1Y.64.32	
	Administrative &			
UCCE	HDS	Public Interface	142.1Y.64.53	
		Private Interface	192.1Y.64.23	
	Administrative &			
UCCE	HDS	Public Interface	142.1Y.65.53	
		Private Interface	192.1Y.64.33	
CVP-A	CVPA	Public Interface	142.1Y.64.52	
CVP-B	CVPB	Public Interface	142.1Y.65.62	
SIteA	Finesse	Public Interface	142.1Y.64.60	
			http://fnusa.podY.com	
SIteB	Finesse	Public Interface	142.1Y.65.60	
			http://fnindia.podY.com	

Agent Table – INDIA Cluster

POD Y - Agent

MAC Address	P	Agent Name	Extension
02004C4F4Y11	AgentY1	3Y01	
02004C4F4Y12	AgentY2	3Y02	
02004C4F4Y13	AgentY3	3Y03	
02004C4F4Y14	AgentY4	3Y04	

Please NOTE: Y represents your POD number not a character itself.



4) Setup - Cisco Unified ICM Servers

Domain& MS Active Directory Integration


NOTE: This must be done only on the server designated as a Microsoft Active Directory

The Cisco UCCE servers are required to be members of a Microsoft Active Directory Domain (Minimum = Windows2008 'Native'). The domain OU structure and requirements are outlined. Cisco Unified Contact Center Hosted (UCCH) uses the concepts of customers and customer instances to enable a single platform to support a multitenant environment.


Active Directory Server: 142.1Y.64.100


Install SQL Server on UCCE and Sprawler Servers. Follow the instructions

Now Installation: Window SQL 2014 in this Window server

















Active Directory user and password













Now Installation: Window SQL 2014 in this Window server










Power On to server



















Product Key (Ask your institute –HR Department)











































DO NOT CHANGE → Next






















































5) Cisco Unified ICM Component Installation

Configure Domain Manager

1) Installing Cisco Unified UCCE 12.0.1 Base Software

Now Installation UCCE (ICM) Software in Window server

